Connecticut Department of Public Health HIV Surveillance Program Recently Diagnosed HIV cases by Risk, Sex, Race, and Age Group, Hartford County, 2012 - 2016

	Mode of Transmission															
	MSM		IDU		MSM and IDU		Heterosexual contact		Perinatal		Presumed Heterosexual contact		Unknown		Total	
	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of row total	N	% of total
Total	191	45.5	42	10.0	10	2.4	125	29.8	1	0.2	14	3.3	37	8.8	420	100.0
Sex																
Male	191	61.6	21	6.8	10	3.2	55	17.7	0	0	0	0	33	10.6	310	73.8
Female	0	0	21	19.1	0	0	70	63.6	1	0.9	14	12.7	4	3.6	110	26.2
Race/ethnicity																
Black/African American	61	34.7	14	8.0	5	2.8	64	36.4	0	0	8	4.5	24	13.6	176	41.9
Hispanic/Latino	61	44.2	18	13.0	3	2.2	45	32.6	1	0.7	5	3.6	5	3.6	138	32.9
White	65	67.7	10	10.4	2	2.1	11	11.5	0	0	0	0	8	8.3	96	22.9
Other/Multiple races	4	40.0	0	0	0	0	5	50.0	0	0	1	10.0	0	0	10	2.4
Age at diagnosis																
<20	9	50.0	0	0	1	5.6	4	22.2	1	5.6	0	0	3	16.7	18	4.3
20-29	79	66.9	5	4.2	1	0.8	26	22.0	0	0	3	2.5	4	3.4	118	28.1
30-39	42	51.2	6	7.3	5	6.1	25	30.5	0	0	2	2.4	2	2.4	82	19.5
40-49	33	37.5	15	17.0	2	2.3	24	27.3	0	0	3	3.4	11	12.5	88	21.0
50-59	24	29.3	13	15.9	1	1.2	29	35.4	0	0	2	2.4	13	15.9	82	19.5
60+	4	12.5	3	9.4	0	0	17	53.1	0	0	4	12.5	4	12.5	32	7.6

This table presents HIV Infection cases using the year the person was first diagnosed. The term HIV Infection is used to refer to three categories of diagnoses collectively:

- 1 persons with a diagnosis of HIV infection (not AIDS)
- 2 a diagnosis of HIV infection and a later diagnosis of AIDS
- 3 concurrent diagnoses of HIV and AIDS.
- 4 other/unknown risk includes perinatal.

Data supplied from HIV Surveillance for cases reported through 2017